

## Volunteer Lake Assessment Program Individual Lake Reports HOWE RESERVOIR, DUBLIN, NH

| MORPHOMETRIC DATA     |       |                 |           |                     |      |      | CLASSIFICATION | KNOWN EXOTIC SPECIES |
|-----------------------|-------|-----------------|-----------|---------------------|------|------|----------------|----------------------|
| Watershed Area (Ac.): | 6,592 | Max. Depth (m): | 4.7       | Flushing Rate (yr¹) | 5.7  | Year | Trophic class  |                      |
| Surface Area (Ac.):   | 258   | Mean Depth (m): | 2.5       | P Retention Coef:   | 0.51 |      |                |                      |
| Shore Length (m):     | 8,900 | Volume (m³):    | 2,585,500 | Elevation (ft):     | 1274 |      |                |                      |


The Waterbody Report Card tables are generated from the 2012 305(b) report on the status of N.H. waters, and are based on data collected from 2001-2011.

| Designated Use             | Parameter          | Category     | Comments  |
|----------------------------|--------------------|--------------|---|
| Aquatic Life               | Phosphorus (Total) | Cautionary   | <5 samples and median is > threshold. More data needed.   |
|                            | рН                 | Slightly Bad | >10% of samples exceed criteria by a small margin (minimum of 2 exceedances).   |
|                            | D.O. (mg/L)        | Encouraging  | < 10 samples and no exceedance of criteria. More data needed.   |
|                            | D.O. (% sat)       | Encouraging  | < 10 samples and no exceedance of criteria. More data needed.   |
|                            | Chlorophyll-a      | Cautionary   | <5 samples and median is < threshold. More data needed.   |
| Primary Contact Recreation | E. coli            | Very Good    | All bacteria samples <75% of geometric mean criteria, but not enough to calculate geometric mean. Or, all bacteria samples are < single sample criteria and calculated Geometric means are less than geometric mean criteria. |
|                            | Chlorophyll-a      | Encouraging  | < 10 samples and no exceedance of criteria. More data needed.   |

### WATERSHED LAND USE SUMMARY

Fry, J., Xian, G., Jin, S., Dewitz, J., Homer, C., Yang, L., Barnes, C., Herold, N., and Wickham, J., 2011. Completion of the 2006 National Land Cover Database

for the Conterminous United States, PERS, Vol. 77(9):858-864. For larger image contact NHDES.



| Land Cover Category        | % Cover | Land Cover Category | % Cover | Land Cover Category  | % Cover |
|----------------------------|---------|---------------------|---------|----------------------|---------|
| Open Water                 | 7.07    | Barren Land         | 0.32    | Grassland/Herbaceous | 0.05    |
| Developed-Open Space       | 3.78    | Deciduous Forest    | 16.03   | Pasture Hay          | 4.26    |
| Developed-Low Intensity    | 0.62    | Evergreen Forest    | 22.65   | Cultivated Crops     | 0.09    |
| Developed-Medium Intensity | 0.04    | Mixed Forest        | 40.34   | Woody Wetlands       | 3.9     |
| Developed-High Intensity   | 0       | Shrub-Scrub         | 0.04    | Emergent Wetlands    | 0.6     |




# VOLUNTEER LAKE ASSESSMENT PROGRAM INDIVIDUAL LAKE REPORTS HOWE RESERVOIR, DUBLIN, NH 2012 DATA SUMMARY

**OBSERVATIONS AND RECOMMENDATIONS** (Refer to Table 1 and Historical Deep Spot Data Graphic)

- **♦ CHLOROPHYLL-A:** Chlorophyll levels were average for most NH lakes.
- **© CONDUCTIVITY/CHLORIDE:** Conductivity and chloride were low and approximately equal to the NH lake medians.
- TOTAL PHOSPHORUS: Deep spot phosphorus levels were relatively low. Charcoal Brook phosphorus levels were slightly elevated.
- TRANSPARENCY: Transparency was consistent with that measured in 2010 and 2011.
- ♦ TURBIDITY: Charcoal Brook turbidity was slightly elevated; however there were low flow conditions and rainfall that occurred 24-72 hours prior to sampling which likely resulted in natural turbidity.
- PH: pH levels were lower than desirable and potentially critical to aquatic life.
- RECOMMENDED ACTIONS: This was the first year chlorophyll-a and phosphorus data were collected at the deep spot and recommend continued monitoring for these parameters. Also recommend increased monitoring frequency to three events per summer if possible to better assess summer water quality and establish trends.

#### Dissolved Oxygen & Temperature Profile



|                      | Table 1. 2012 Average Water Quality Data for HOWE RESERVOIR |         |          |       |         |      |      |       |      |
|----------------------|---|---------|----------|-------|---------|------|------|-------|------|
|                      | Alk.  | Chlor-a | Chloride | Cond. | Total P | Tra  | ans. | Turb. | рН   |
| Station Name         | mg/l  | ug/l    | mg/l     | uS/cm | ug/l    | 1    | m    | ntu   |      |
|                      |   |         |          |       |         | NVS  | VS   |       |      |
| Charcoal Brook Inlet |   |         | 4        | 40.5  | 16      |      |      | 2.07  | 6.3  |
| Deep Epilimnion      | 2.00  | 4.20    | 3        | 36.0  | 10      | 2.50 | 3.00 | 1.18  | 6.36 |
| Deep Hypolimnion     |   |         |          | 36.0  | 9       |      |      | 1.54  | 5.95 |

**NH Median Values:** Median values for specific parameters generated from historic lake monitoring

data.

Alkalinity: 4.9 mg/L Chlorophyll-a: 4.58 mg/m<sup>3</sup> Conductivity: 40.0 uS/cm Chloride: 4 mg/L

Total Phosphorus: 12 ug/L

Transparency: 3.2 m pH: 6.6

**NH Water Quality Standards:** Numeric criteria for specific parameters. Results exceeding criteria are considered a

water quality violation. **Chloride:** < 230 mg/L (chronic)

E. coli: > 88 cts/100 mL – public beach E. coli: > 406 cts/100 mL – surface waters Turbidity: > 10 NTU above natural level pH: 6.5-8.0 (unless naturally occurring)

### HISTORICAL WATER QUALITY TREND ANALYSIS

| Parameter               | Trend | Explanation                             |
|-------------------------|-------|---|
| Chlorophyll-a           | N/A   | More data necessary to establish trend. |
| Transparency            | N/A   | More data necessary to establish trend. |
| Phosphorus (epilimnion) | N/A   | More data necessary to establish trend. |

This report was generated by the NH DES Volunteer Lake Assessment Program (VLAP). For more information contact:

Sara Steiner

PO Box 95 Concord, NH 03302-0095 (603) 271-2658 sara.steiner@des.nh.gov



